




"Basic" ball valve

Female threaded outlet - PE - Basic System ITEM 208

Ref.	Description	Net W.	Vol. (m ³)	Gross W.	Batch
1011092	VALVULA ENLACE R/HEMBRA 1/2"	0,164	0,01553	6,88	40
1011093	VALVULA ENLACE R/HEMBRA 3/4"	0,208	0,02244	8,83	40
1011094	VALVULA ENLACE R/HEMBRA 1"	0,358	0,03129	11,32	30
1011095	VALVULA ENLACE R/HEMBRA 1 1/4"	0,610	0,03129	12,78	20
1011096	VALVULA ENLACE R/HEMBRA 1 1/2"	0,880	0,03129	13,78	15
1011097	VALVULA ENLACE R/HEMBRA 2"	1,370	0,03682	14,25	10
1011098	VALVULA ENLACE R/HEMBRA 2 1/2"	2,777	0,03129	11,68	4
1011099	VALVULA ENLACE R/HEMBRA 3"	4,491	0,02244	9,47	2
1011692	V E. SISTEMA IMPLEX S R/H 4"	6,168	0,04460	13,07	2







CÓDIGO	r	DN	PESO(g)	A	B	C	D	E	F	PN	TIPO ROSCA
11092	1/2"	15	164	91	52	17	78	94	44	PN16	BSP
11093	3/4"	20	208	101	59	20	84	100	49	PN16	BSP
11094	1"	25	358	120	70	23	97	140	58	PN16	BSP
11095	1 1/4"	32	610	134	84	26	128	161	71	PN16	BSP
11096	1 1/2"	40	880	153	99	33	142	171	75	PN16	BSP
11097	2"	50	1370	161	120	29	165	182	89	PN16	BSP
11098	2 1/2"	65	2777	204	150	33	222	275	110	PN10	BSP
11099	3"	80	4491	234	176	36	244	290	130	PN10	BSP
11692	4"	100	6168	267	210	42	307	426	140	PN10	BSP